Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
J. Davies
W. F. Dove
G. A. Gilbert
W. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
P. M. B. Walker
J. C. Wang
S. M. Weissman

VOLUME 105
25 July 1976 to 25 August 1976

ACADEMIC PRESS
London New York San Francisco

Copyright © 1976, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 105

NUMBER 1, 25 JULY 1976

CHOTHIA, C., The nature of the Accessible and Buried Surfaces in Proteins . 1

Appendix: JANIN, J., Surface Area of Globular Proteins 13

MOORE, G. W., GOODMAN, M., CALLAHAN, C., HOLMQUIST, R. and MOISE, H., Stochastic *versus* Augmented Maximum Parsimony Method for Estimating Superimposed Mutations in the Divergent Evolution of Protein Sequences. Methods Tested on Cytochrome *c* Amino Acid Sequences . . . 15

HOLMQUIST, R., JUKES, T. H., MOISE, H., GOODMAN, M. and MOORE, G. W., The Evolution of the Globin Family Genes: Concordance of Stochastic and Augmented Maximum Parsimony Genetic Distances for α Hemoglobin, β Hemoglobin and Myoglobin Phylogenies 39

ROSSMANN, M. G. and ARGOS, P., Exploring Structural Homology of Proteins . 75

HAPKE, B. and NOLL, H., Structural Dynamics of Bacterial Ribosomes. IV. Classification of Ribosomes by Subunit Interaction 97

NOLL, M. and NOLL, H., Structural Dynamics of Bacterial Ribosomes. V. Magnesium-dependent Equilibrium of Tight Couples with Subunits: Measurements of Dissociation Constants and Exchange Rates . . . 111

Appendices: 1. KLOTZ, I. M., Derivation of equation (9) from main paper . 127
2. NOLL, M., Solution of the differential equation describing the exchange process 129

LAKE, J. A., Ribosome Structure Determined by Electron Microscopy of *Escherichia coli* Small Subunits, Large Subunits and Monomeric Ribosomes 131

BOTCHAN, P., An Electron Microscopic Comparison of Transcription on Linear and Superhelical DNA 161

LETTER TO THE EDITOR

KINDÅS-MÜGGE, I., FRASEL, L. and DIGGELMANN, H., Characterization of Promelittin Messenger RNA from the Venom Gland of Young Queen Bees 177

NUMBER 2, 5 AUGUST 1976

BLAUROCK, A. E. and WALSBY, A. E., Crystalline Structure of the Gas Vesicle Wall from *Anabaena flos-aquae* 183

Anderson, R. P., Miller, C. G. and Roth, J. R., Tandem Duplications of the Histidine Operon Observed Following Generalized Transduction in *Salmonella typhimurium* 201

Heimark, R. L., Kahan, L., Johnston, K., Hershey, J. W. B. and Traut, R. R., Crosslinking of Initiation Factor IF3 to Proteins of the *Escherichia coli* 30 S Ribosomal Subunit 219

Truitt, C. L., Haldenwang, W. G. and Walker, J. R., Interaction of Host and Viral Regulatory Mechanisms: Effect of the *lon* Cell Division Defect on Regulation of Repression by Bacteriophage Lambda 231

Churchward, G. G. and Holland, I. B., Envelope Synthesis During the Cell Cycle in *Escherichia coli* B/r 245

Liberti, P., Fischer-Fantuzzi, L. and Vesco, C., Kinetics of DNA and Histone Messenger RNA Synthesis in CV-1 Monkey Kidney Cells Infected with Simian Virus 40 263

Nakano, M., Foucault, G., and Pudles, J., Relationship Between Structure and Chemical Reactivity in D-Glyceraldehyde 3-Phosphate Dehydrogenase. Trinitrophenylation of the Lysine Residues in Yeast, Sturgeon and Rabbit Muscle Enzymes 275

Betz, J. L. and Sadler, J. R., Tight-binding Repressors of the Lactose Operon 293

Letters to the Editor

Itai, A., Yonei, M., Mitsui, Y. and Iitaka, Y., Crystallographic Study on the Orthorhombic Crystal of L-Asparaginase from *Escherichia coli* HAP 321

Beem, K. M., Richardson, J. S. and Richardson, D. C., Manganese Superoxide Dismutases from *Escherichia coli* and from Yeast Mitochondria: Preliminary X-ray Crystallographic Studies 327

Bridgen, J., Harris, J. I. and Kolb, E., Superoxide Dismutase from *Bacillus stearothermophilus:* Crystallization and Preliminary X-ray Diffraction Studies 333

Hohn, T., Morimasa, T. and Tsugita, A., The Capsid Protein of Bacteriophage Lambda and of its Prehead 337

Number 3, 15 August 1976

Ascoli, F., Chiancone, E. and Antonini, E., Studies on Erythrocruorin IV. Circular Dichroism of Earthworm Erythrocruorin 343

Carlsson, L., Nyström, L.-E., Lindberg, U., Kannan, K. K., Cid-Dresdner, H., Lövgren, S. and Jörnvall, H., Crystallization of a Non-muscle Actin 353

Sternberg, M. J. E. and Thornton, J. M., On the Conformation of Proteins: The Handedness of the β-Strand–α-Helix–β-Strand Unit 367

Sardet, C., Tardieu, A. and Luzzati, V., Shape and Size of Bovine Rhodopsin: A Small-angle X-ray Scattering Study of a Rhodopsin–Detergent Complex 383

Appendix: Effects of Density Heterogeneities 404

Schreier, A. A. and Baldwin, R. L., Concentration-dependent Hydrogen Exchange Kinetics of ^{3}H-labeled S-Peptide in Ribonuclease S . . . 409

Appendix: Effect of Macromolecular Dissociation on Hydrogen Exchange Kinetics 423

Wickner, R. B. and Leibowitz, M. J., Chromosomal Genes Essential for Replication of a Double-stranded RNA Plasmid of *Saccharomyces cerevisiae:* The Killer Character of Yeast 427

Letters to the Editor

Krasin, F., Person, S., Snipes, W. and Benson, B., Local Effect for [5-^{3}H]Cytosine Decays: Production of a Chemical Product with Possible Mutagenic Consequences 445

Bloomer, A. C., Champness, J. N. and Unwin, P. N. T., The Hand of the Stacked-disk Aggregate of Tobacco Mosaic Virus Protein . . . 453

Erratum 459

Number 4, 25 August 1976

Wellauer, P. K., Dawid, I. B., Brown, D. D. and Reeder, R. H., The Molecular Basis for Length Heterogeneity in Ribosomal DNA from *Xenopus laevis* 461

Wellauer, P. K., Reeder, R. H., Dawid, I. B. and Brown, D. D., The Arrangement of Length Heterogeneity in Repeating Units of Amplified and Chromosomal Ribosomal DNA from *Xenopus laevis* . . . 487

Reeder, R. H., Brown, D. D., Wellauer, P. K. and Dawid, I. B., Patterns of Ribosomal DNA Spacer Lengths are Inherited 507

Chothia, C. Baker, R. W. and Pauling, P., Conformation of Acetylcholine at Muscarinic Nerve Receptors: Crystal and Molecular Structure of 2-Trimethylammoniummethyl-5-methyl Furan Iodide (5-Methyl-furmethide Iodide) 517

Bray, D. and Thomas, C., Unpolymerized Actin in Fibroblasts and Brain . 527

Ohasa, S. and Tsugita, A., Purification and Characterization of a New Ribopolynucleotide Synthesizing Enzyme from *Escherichia coli* . . . 545

Murthy, N. S. and Knox, J. R., Small-angle X-ray Scattering Studies of *Escherichia coli* L-Asparaginase 567

Irwin, M. J., Nyborg, J., Reid, B. R. and Blow, D. M., The Crystal Structure of Tyrosyl-transfer RNA Synthetase at 2.7 Å Resolution . . . 577

Sgaramella, V., Ehrlich, S. D., Bursztyn, H. and Lederberg, J., Enhancement of Transfecting Activity of Bacteriophage P22 DNA upon Exonucleolytic Erosion 587

Letter to the Editor

Ehrlich, S. D., Sgaramella, V. and Lederberg, J., Transfection of Restrictionless *Escherichia coli* by Bacteriophage T7 DNA: Effect of *in vitro* Erosion of DNA by λ Exonuclease 603

Index to Volume 105

Acetylcholine conformation at muscarinic nerve receptors: crystal and molecular structure of 2-trimethylammoniummethyl-5-methyl furan iodide (5-methylfurmethide iodide), 517
Actin, non-muscle, crystallization, 353
—, unpolymerized, in fibroblasts and brain, 527
Anabaena flos-aquae, crystalline structure of the gas vesicle wall, 183
Anderson, R. P., Miller, C. G. & Roth, J. R., Tandem duplications of the histidine operon observed following generalized transduction in *Salmonella typhimurium*, 201
Antonini, E. (see also Ascoli, F.), 343
Argos, P. (see also Rossmann, M. G.), 75
Ascoli, F., Chiancone, E. & Antonini, E., Studies on erythrocruorin. IV. Circular dichroism of earthworm erythrocruorin, 343
L-Asparaginase, *Escherichia coli*, small-angle X-ray scattering studies, 567
— - —, — — HAP, crystallographic study on the orthorhombic crystal, 321
Augmented maximum parsimony and stochastic genetic distances, concordance for α hemoglobin, β hemoglobin and myoglobin phylogenies; the evolution of the globin family genes, 39
— — — *versus* stochastic method for estimating superimposed mutations in the divergent evolution of protein sequences. Methods tested on cytochrome *c* amino acid sequences, 15

Bacillus stearothermophilus superoxide dismutase: crystallization and preliminary X-ray diffraction studies, 333
Bacterial ribosomes, structural dynamics: magnesium-dependent dissociation of tight couples into subunits; measurements of dissociation constants and exchange rates, 111
— —, — — classification of ribosomes by subunit interaction, 97
Bacteriophage lambda and its prehead, capsid protein, 337
— — , effect of the *lon* cell division defect on regulation of repression; interaction of host and viral regulatory mechanisms, 231
— P22 DNA, enhancement of transfecting activity upon exonucleolytic erosion, 587
— T7 DNA transfection of restrictionless *Escherichia coli*: effect of *in vitro* erosion of DNA by λ exonuclease, 603
Baker, R. W. (see also Chothia, C.), 517
Baldwin, R. L. (see also Schreier, A. A.), 409
Beem, K. M., Richardson, J. S. & Richardson, D. C., Manganese superoxide dismutases from *Escherichia coli* and from yeast mitochondria: preliminary X-ray crystallographic studies, 327
Bees, queen, young, characterization of promelittin mRNA from the venom gland, 177
Benson, B. (see also Krasin, F.), 445
β-Strand-α-helix-β-strand unit, handedness, 367
Betz, J. L. & Sadler, J. R., Tight-binding repressors of the lactose operon, 293
Blaurock, A. E. & Walsby, A. E., Crystalline structure of the gas vesicle wall from *Anabaena flos-aquae*, 183
Bloomer, A. C., Champness, J. N. & Unwin, P. N. T., The hand of the stacked-disk aggregate of tobacco mosaic virus protein, 453
Blow, D. M. (see also Irwin, M. J.), 577
Botchan, P., An electron microscopic comparison of transcription on linear and superhelical DNA, 161
Bovine rhodopsin, shape and size: a small-angle X-ray scattering study of a rhodopsin–detergent complex, 383
Brain and fibroblast unpolymerized actin, 527
Bray, D. & Thomas, C., Unpolymerized actin in fibroblasts and brain, 527
Bridgen, J., Harris, J. I. & Kolb, E., Superoxide dismutase from *Bacillus stearothermophilus*: crystallization and preliminary X-ray diffraction studies, 333
Brown, D. D. (see also Reeder, R. H.), 507
— (see also Wellauer, P. K.), 461, 487
Bursztyn, H. (see also Sgaramella, V.), 587

Callahan, C. (see also Moore, G. W.), 15
Capsid protein of bacteriophage lambda and of its prehead, 337

Carlsson, L., Nyström, L.-E., Lindberg, U., Kannan, K. K., Cid-Dresdner, H., Lövgren, S. & Jörnvall, H., Crystallization of a non-muscle actin, 353
Cell cycle envelope synthesis in *Escherichia coli* B/r, 245
Champness, J. N. (see also Bloomer, A. C.), 453
Chiancone, E. (see also Ascoli, F.), 343
Chothia, C., The nature of the accessible and buried surfaces in proteins, 1
—, Baker, R. W. & Pauling, P., Conformation of acetylcholine at muscarinic nerve receptors: crystal and molecular structure of 2-trimethylammoniummethyl-5-methyl furan iodide (5-methyl-furmethide iodide), 517
Chromosomal and amplified ribosomal DNA from *Xenopus laevis*, the arrangement of length heterogeneity in repeating units, 487
— genes essential for replication of a double-stranded RNA plasmid of *Saccharomyces cerevisiae*: the killer character of yeast, 427
Churchward, G. G. & Holland, I. B., Envelope synthesis during the cell cycle in *Escherichia coli* B/r, 245
Cid-Dresdner, H. (see also Carlsson, L.), 353
Circular dichroism of earthworm erythrocruorin, 343
Conformation of acetylcholine at muscarinic nerve receptors: crystal and molecular structure of 2-trimethylammoniummethyl-5-methyl furan iodide (5-methylfurmethide iodide), 517
— — proteins: the handedness of the β-strand–α-helix–β-strand unit, 367
Cross-linking of initiation factor IF3 to proteins of the *Escherichia coli* 30 S ribosomal subunit, 219
Crystal and molecular structure of 2-trimethylammoniummethyl-5-methyl furan iodide (5-methyl-furmethide iodide); conformation of acetylcholine at muscarinic nerve receptors, 517
Crystalline structure of the gas vesicle wall from *Anabaena flos-aquae*, 183
Crystallization and preliminary X-ray diffraction studies of superoxide dismutase from *Bacillus stearothermophilus*, 333
— of a non-muscle actin, 353
Crystallographic study on the orthorhombic crystal of L-asparaginase from *Escherichia coli* HAP, 321
— studies, X-ray, preliminary, of manganese superoxide dismutases from *Escherichia coli* and from yeast mitochondria, 327
Cytochrome *c* amino acid sequences used in testing of stochastic and augmented parsimony methods for estimating superimposed mutations in the divergent evolution of protein sequences, 15
[5-^{3}H] Cytosine decays, local effect: production of a chemical product with possible mutagenic consequences, 445

Dawid, I. B. (se ealso Reeder, R. H.), 507
— (see also Wellauer, P. K.), 461, 487
DNA of bacteriophage P22, enhancement of transfecting activity upon exonucleolytic erosion 587
— — — T7 and its transfection of restrictionless *Escherichia coli*: effect of *in vitro* erosion, of DNA by λ exonuclease, 603
— and histone mRNA synthesis kinetics in CV-1 monkey kidney cells infected with Simian virus 40, 263
—, linear and superhelical, an electron microscopic comparison of transcription, 161
—, ribosomal, amplified and chromosomal, from *Xenopus laevis*, the arrangement of length heterogeneity in repeating units, 487
—, —, from *Xenopus laevis*, the molecular basis for length heterogeneity, 461
— ,—, spacer length patterns are inherited, 507
Diggelmann, H. (see also Kindås-Mügge, I.), 177
Dismutases, manganese superoxide, from *Escherichia coli* and from yeast mitochondria: preliminary X-ray crystallographic studies, 327
Dismutase, superoxide, from *Bacillus stearothermophilus*: crystallization and preliminary X-ray diffraction studies, 333
Dissociation, magnesium-dependent, of bacterial ribosome tight couples into subunits; measurements of dissociation constants and exchange rates, 111
Duplications, tandem, of the histidine operon observed following generalized transduction in *Salmonella typhimurium*, 201

Earthworm erythrocruorin, circular dichroism, 343

Ehrlich, S. D., Sgaramella, V. & Ledergerg, J., Transfection of restrictionless *Escherichia coil* by bacteriophage T7 DNA: effect of *in vitro* erosion of DNA by λ exonuclease, 603
— (see also Sgaramella, V.), 587
Electron microscopic comparison of transcription on linear and superhelical DNA, 161
— — determination of ribosome structure of *Escherichia coli* small subunits, large subunits and monomeric ribosomes, 131
Enhancement of transfecting activity of bacteriophage P22 DNA upon exonucleolytic erosion, 587
Envelope synthesis during the cell cycle in *Escherichia coli* B/r, 245
Enzyme, ribopolynucleotide synthesizing, new, from *Escherichia coli*, purification and characterization, 545
—, yeast, sturgeon and rabbit muscle, trinitrophenylation of the lysine residues. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275
Erythrocruorin studies. IV. Circular dichroism of earthworm erythrocruorin, 343
Escherichia coli L-asparaginase, small-angle X-ray scattering studies, 567
— — B/r, envelope synthesis during the cell cycle, 245
— — HAP, crystallographic study on the orthorhombic crystal of L-asparaginase, 321
— —, purification and characterization of a new ribopolynucleotide-synthesizing enzyme, 545
— —, restrictionless, transfection by bacteriophage T7 DNA: effect of *in vitro* erosion of DNA by λ exonuclease, 603
— — 30 S ribosomal subunit proteins, cross-linking to initiation factor IF3, 219
— — small subunits, large subunits and monomeric ribosomes, structure determined by electron microscopy, 131
— — and yeast mitochondrial manganese superoxide dismutases: preliminary X-ray crystallographic studies, 327
Evolution, divergent, of protein sequence, stochastic *versus* augmented maximum parsimony method for estimating superimposed mutations. Methods tested on cytochrome *c* amino acid sequences, 15
— of the globin family genes: concordance of stochastic and augmented maximum parsimony genetic distances for α-hemoblobin, β-hemoglobin and myoglobin phylogenies, 39
Exonuclease, λ, *in vitro* erosion of DNA; transfection of restrictionless *Escherichia coli* by bacteriophage T7 DNA, 603
Exonucleolytic erosion and the enhancement of transfecting activity of bacteriophage P22 DNA, 587

Fibroblasts and brain, unpolymerized actin, 527
Fischer-Faatuzzi, L. (see also Liberti, P.), 263
Foucault, G. (see also Nakano, M.), 275
Frasel, L. (see also Kindås-Mügge, I.), 177

Gas vesicle wall from *Anabaena flos-aquae*, crystalline structure, 183
Genes, chromosomal, essential for replication of a double-stranded RNA plasmid of *Saccharomyces-cerevisiae*: the killer character of yeast, 427
Genetic distances, concordance of stochastic and augmented maximum parsimony values for α hemoglobin, β hemoglobin and myoglobin phylogenies; the evolution of the globin family genes, 39
Globin family gene evolution: concordance of stochastic and augmented maximum parsimony genetic distances for α-hemoglobin, β-hemoglobin and myoglobin phylogenies, 39
D-Glyceraldehyde 3-phosphate dehydrogenase and the relationship between its structure and chemical reactivity. Trinitrophenylation of the lysine residues in yeast, sturgeon and rabbit muscle enzyme, 275
Goodman, M. (see also Holmquist. R,), 39
— (see also Moore, G. W.), 15

Haldenwang, W. G. (see also Truitt, C. L.), 231
Hand of the stacked-disk aggregate of tobacco mosaic virus protein, 453
Handedness of the β-strand–α-helix–β-strand unit, 367
Hapke, B. & Noll., Structural dynamics of bacterial ribosomes. IV. Classification of ribosomes by subunit interaction, 97
Harris, J. I. (see also Bridgen, J.), 333

Heimark, R. L., Kahan, L., Johnston, K., Hershey, J. W. B. & Traut, R. R., Crosslinking of initiation factor IF3 to proteins of the *Escherichia coli* 30 S ribosomal subunit, 219
Hemoglobin, α and β, and myoglobin phylogenies, concordance of stochastic and augmented maximum parsimony genetic distances; the evolution of the globin family genes, 39
Hershey, J. W. B. (see also Heimark, R. L.), 219
Histidine operon tandem duplications observed following generalized transduction in *Salmonella typhimurium*, 201
Histone mRNA and DNA synthesis kinetics in CV-1 monkey kidney cells infected with Simian virus 40, 263
^{3}H-labeled S-peptide in ribonuclease S, concentration-dependent hydrogen exchange kinetics, 409
Hohn, T., Morimasa, T. & Tsugita, A., The capsid protein of bacteriophage lambda and of its prehead, 337
Holland, I. B. (see also Churchward, G. G.), 245
Holmquist, R., Jukes, T. H., Moise, H., Goodman, M. & Moore, G. W., The evolution of the globin family genes: concordance of stochastic and augmented maximum parsimony genetic distances for α-hemoglobin, β-hemoglobin and myoglobin phylogenies, 39
— (see also Moore, G. W.), 15
Homology, structural, of proteins, 75
Hydrogen exchange kinetics and the effect of macromolecular dissociation, 423
— exchange kinetics, concentration-dependent, of ^{3}H-labeled S-peptide in ribonuclease S, 409

Iitaka, Y. (see also Itai, A.), 321
Inheritance of ribosomal DNA spacer length patterns, 507
Initiation factor IF3 crosslinking to proteins of the *Escherichia coli* 30 S ribosomal subunit, 219
Irwin, M. J., Nyborg, J., Reid, B. R. & Blow, D. M., The crystal structure of tyrosyl-tRNA synthetase at 2·7 Å resolution, 577
Itai, A., Yonei, M., Mitsui, Y. & Iitaka, Y., Crystallographic study on the orthorhombic crystal of L-asparaginase from *Escherichia coli* HAP, 321

Janin, J. Surface area of globular proteins (*Appendix* to Chothia, C., 1), 13
Johnston, K. (see also Heimark, R. L.), 219
Jörnvall, H. (see also Carlsson, L.), 353
Jukes, T. H. (see also Holmquist, R.), 39

Kahan, L. (see also Heimark, R. L.), 219
Kannan, K. K. (see also Carlsson, L.), 353
Kidney cells, CV-1 monkey, infected with Simian virus 40, kinetics of DNA and histone mRNA synthesis, 263
Killer character of yeast: chromosomal genes essential for replication of a double-stranded RNA plasmid of *Saccharomyces cerevisiae*, 427
Kindås-Mügge, I., Frasel, L. & Diggelmann, H., Characterization of promelittin mRNA from the venom gland of young queen bees, 177
Klotz, I. M., Derivation of equation (9) (*Appendix* to Noll, M. & Noll, H., 111), 127
Knox, J. R. (see also Murphy, N. S.), 567
Kolb, E. (see also Bridgen, J.), 333
Krasin, F., Person, S., Snipes, W. & Benson, B., Local effect for [5-^{3}H] cytosine decays: production of a chemical product with possible mutagenic consequences, 445

λ (see also Bacteriophage), 231, 337
— (see also Exonuclease), 603
Lactose operon tight-binding repressors, 293
Lake, J. A., Ribosome structure determined by electron microscopy of *Escherichia coli* small subunits, large subunits and monomeric ribosomes, 131
Lederberg, J. (see also Ehrlich, S. D.), 603
Lederberg, J. (see also Sgaramella, V.), 587
Leibowitz, M. J. (see also Wickner, R. B.), 427
Length heterogeneity, arrangement in repeating units of amplified and chromosomal ribosomal DNA from *Xenopus laevis*, 487
— — in ribosomal DNA from *Xenopus laevis*, molecular basis, 461
Liberti, P., Fischer-Fantuzzi, L. & Vesco, C., Kinetics of DNA and histone mRNA synthesis in CV-1 monkey kidney cells infected with Simian virus 40, 263

Lindberg, U. (see also Carlsson, L.), 353
lon cell division defect, effect on regulation of repression by bacteriophage lambda; interaction of host and viral regulatory mechanisms, 231

Lövgren, S. (see also Carlsson, L.), 353
Luzzati, V. (see also Sardet, C.), 383
Lysine residue trinitrophenylation in yeast, sturgeon and rabbit muscle enzyme. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275

Magnesium-dependent dissociation of bacterial ribosome tight couples into subunits; measurements of dissociation constants and exchange rates, 111
Manganese superoxide dismutases from *Escherichia coli* and from yeast mitochondria: preliminary X-ray crystallographic studies, 327
Messenger RNA, histone, and DNA synthesis kinetics in CV-1 monkey kidney cells infected with Simian virus 40, 263
— —, promelittin, from the venom gland of young queen bees, characterization, 177
5-Methylfurmethide iodide, crystal and molecular structure; conformation of acetylcholine at muscarinic nerve receptors, 517
Miller, C. G. (see also Anderson, R. P.), 201
Mitochondrial, yeast, and *Escherichia coli* manganese superoxide dismutases: preliminary X-ray crystallographic studies, 327
Mitsui, Y. (see also Itai, A.), 321
Moise, H. (see also Holmquist, R.), 39
— (see also Moore, G. W.), 15
Molecular basis for length heterogeneity in ribosomal DNA from *Xenopus laevis*, 461
Monkey, CV-1, kidney cells infected with Simian virus 40, kinetics of DNA and histone mRNA synthesis, 263
Moore, G. W., Goodman, M., Callahan, C., Holmquist, R. & Moise, H., Stochastic *versus* augmented maximum parsimony method for estimating superimposed mutations in the divergent evolution of protein sequence. Methods tested on cytochrome *c* amino acid sequences, 15
— (see also Holmquist, R.), 39
Morimasa, T. (see also Hohn, T.), 337
Murphy, N. S. & Knox, J. R., Small-angle X-ray scattering studies of *Escherichia coli* L-asparaginase, 567
Muscarinic conformation of acetylcholine: crystal and molecular structure of 2-trimethylammoniummethyl-5-methyl furan iodide (5-methylfurmethide iodide), 517
Muscle, sturgeon and rabbit, and yeast enzyme, trinitrophenylation of the lysine residues. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275
Mutagenesis: local effect for [5-^{3}H] cytosine decays, 445
Mutations, superimposed, in the divergent evolution of protein sequences, stochastic *versus* augmented maximum parsimony method for estimation. Methods tested on cytochrome *c* amino acid sequences, 15
Myoglobin, α-hemoglobin and β-hemoglobin phylogenies, concordance of stochastic and augmented maximum parsimony genetic distances; the evolution of the globin family genes, 39

Nakano, M., Foucault, G. & Pudles, J., Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase. Trinitrophenylation of the lysins residues in yeast, sturgeon and rabbit muscle enzymes, 275
Noll, H. (see also Hapke, B.), 97
— (see also Noll, M.), 111
Noll, M. & Noll, H., Structural dynamics of bacterial ribosomes. V. Magnesium-dependent equilibrium of tight couples with subunits: measurements of dissociation constants and exchange rates, 111
Nyborg, J. (see also Irwin, M. J.), 577
Nyström, L.-E. (see also Carlsson, L.), 353

Ohasa, S. & Tsugita, A., Purification and characterization of a new ribopolynucleotide synthesizing enyzme from *Escherichia coli*, 545
Operon, histidine, tandem duplications observed following generalized transduction in *Salmonella typhimurium*, 201
Operon, lactose, tight-binding repressors, 293

P22 (see also Bacteriophage), 587
Pauling, P. (see also Chothia, C.), 517
S-peptide, ^{3}H-labeled, in ribonuclease S, concentration-dependent hydrogen exchange kinetics, 409
Person, S. (see also Krasin, F.), 445
Phylogeny, cytochrome *c*, 15
— of α hemoglobin, β hemoglobin and myoglobin: concordance of stochastic and augmented maximum parsimony genetic distances, the evolution of the globin family genes, 39
Plasmid, double-stranded RNA, of *Saccharomyces cerevisiae*, chromosomal genes essential for replication: the killer character of yeast, 427
Promelittin mRNA from the venom gland of young queen bees, characterization, 177
Protein, capsid, of bacteriophage lambda and of its prehead, 337
— conformation: the handedness of the β-strand–α-helix–β-strand unit, 367
— sequence, stochastic *versus* augmented maximum parsimony method for estimating superimposed mutations in their divergent evolution. Methods tested on cytochrome *c* amino acid sequences, 15
— of tobacco mosaic virus, the hand of the stacked-disk aggregate, 453
Proteins, exploring their structual homology, 75
— of the *Escherichia coli* 30 S ribosomal subunit, cross-linking to initiation factor IF3, 219
— globular, surface area, 13
—, nature of the accessible and buried surfaces, 1
Pudles, J. (see also Nakano, M.), 275

Rabbit and sturgeon muscles and yeast enzyme, trinitrophenylation of the lysine residues. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275
Regulatory mechanisms, host and viral, interaction: effect of the *lon* cell division defect on regulation of repression by bacteriophage lambda, 231
Repeating units of amplified and chromosomal ribosomal DNA from *Xenopus laevis* and the arrangement of length heterogeneity, 487
Replication of a double-stranded RNA plasmid of *Saccharomyces cerevisiae*, essential chromosomal genes: the killer character of yeast, 427
Repression by bacteriophage lambda, effect of the *lon* cell division defect on its regulation; interaction of host and viral regulatory mechanisms, 231
Repressors, tight-binding, of the lactose operon, 293
Reeder, R. H., Brown, D. D., Wellauer, P. K. & Dawid, I. B., Patterns of ribosomal DNA spacer lengths are inherited, 507
— (see also Wellauer, P. K.), 461, 487
Reid, B. R. (see also Irwin, M. J.), 577
Rhodopsin, bovine, shape and size: a small-angle X-ray scattering study of a rhodopsin–detergent complex, 383
Ribopolynucleotide synthesizing enzyme, new, from *Escherichia coli*, purification and characterization, 545
Ribonuclease S-peptide, ^{3}H-labeled, concentration-dependent hydrogen exchange kinetics, 409
RNA, double-stranded, plasmid of *Saccharomyces cerevisiae*, chromosomal genes essential for replication: the killer character of yeast, 427
—, histone messenger, and DNA synthesis kinetics in CV-1 monkey kidney cells infected with Simian virus 40, 263
—, promelittin messenger, from the venom gland of young queen bees, characterization, 177
Ribosomal DNA, amplified and chromosomal, from *Xenopus laevis*, the arrangement of length heterogeneity in repeating units, 487
— — from *Xenopus laevis*, the molecular basis for length heterogeneity, 461
— — spacer length patterns are inherited, 507
— 30 S subunit proteins of *Escherichia coli*, cross-linking to initiation factor IF3, 219
— structure determined by electron microscopy of *Escherichia coli* small subunits, large subunits and monomeric ribosomes, 131
Ribosomes, bacterial, structural dynamics: classification of ribosomes by subunit interaction, 97
—, bacterial, structural dynamics: magnesium-dependent dissociation of tight couples into subunits; measurements of dissociation constants and exchange rates, 111
Richardson, D. C. (see also Beem, K. M.), 327
Richardson, J. S. (see also Beem, K. M.), 327
Rossmann, M. G. & Argos, P., Exploring structural homology of proteins, 75
Roth, J. R. (see also Anderson, R. P.), 201

Saccharomyces cerevisiae, chromosomal genes essential for replication of a double-stranded RNA plasmid: the killer character of yeast, 427
SADLER, J. R. (see also BETZ, J. L.), 293
Salmonella typhimurium, tandem duplications of the histidine operon observed following generalized transduction, 201
SARDET, C., TARDIEU, A. & LUZZATI, V., Shape and size of bovine rhodopsin: a small-angle X-ray scattering study of a rhodopsin–detergent complex, 383
SCHREIER, A. A. & BALDWIN, R. L., Concentration-dependent hydrogen exchange kinetics of ^{3}H-labled S-peptide in ribonuclease S, 409
Sequences, protein, stochastic *versus* augmented maximum parsimony method for estimating superimposed mutations in their divergent evolution. Methods tested on cytochrome *c* amino acid sequences, 15
SGARAMELLA, V., EHRLICH, S. D., BURSZTYN, H. & LEDERBERG, J., Enhancement of transfecting activity of bacteriophage P22 DNA upon exonucleolytic erosion, 587
— (see also EHRLICH, S. D.), 603
Simian virus 40 (see also Virus), 263
SNIPES, W. (see also KRASIN, F.), 445
Spacer length patterns for ribosomal DNA are inherited, 507
STERNBERG, M. J. E. & THORNTON, J. M., On the conformation of proteins: the handedness of the β-strand–α-helix–β-strand unit, 367
Stochastic and augmented maximum parsimony genetic distances, concordance for α-hemoglobin, β-hemoglobin and myoglobin phylogenies; the evolution of the globin family genes, 39
— *versus* augmented maximum parsimony method for estimating superimposed mutations in the divergent evolution of protein sequences. Methods tested on cytochrome *c* amino acid sequences, 15
Structural dynamics of bacterial ribosomes. IV. Classification of ribosomes by subunit interaction, 97
— — — — —. V. Magnesium-dependent dissociation of tight couples into subunits: measurements of dissociation constants and exchange rates, 111
— homology of proteins, 75
Structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase. Trinitrophenylation of the lysine reidues in yeast, sturgeon and rabbit muscle enzyme, 275
—, crystal and molecular, of 2-trimethylammoniummethyl-5-methyl furan iodide (5-methylfurmethide iodide); conformation of acetylcholine at muscarinic nerve receptors, 157
—, crystalline, of the gas vesicle wall from *Anabaena flos-aquae*, 183
— of ribosomes determined by electron microscopy of *Escherichia coli* small subunits, large subunits and monomeric ribosomes, 131
— — tyrosyl-tRNA synthetase at 2.7 Å resolution, 577
Sturgeon and rabbit muscle and yeast enzyme, trinitrophenylation of the lysine residues. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275
Superoxide dismutase from *Bacillus stearothermophilus*: crystallization and preliminary X-ray diffraction studies, 333
— dismutase, manganese, from *Escherichia coli* and from yeast mitochondria: preliminary X-ray crystallographic studies, 327
Surface area, accessible and buried, in proteins, 1
— — of globular proteins, 13
Synthesis, envelope, during the cell cycle in *Escherichia coli* B/r, 245
— kinetics of DNA and histone mRNA in CV-1 monkey kidney cells infected with Simian virus 40, 263
Synthetase, tyrosyl-tRNA, crystal structure at 2.7 Å resolution, 577

T7 (see also Bacteriophage), 603
Tandem duplications of the histidine operon observed following generalized transduction in *Salmonella typhimurium*, 201
TARDIEU, A. (see also SARDET, C.), 383
THOMAS, C. (see also BRAY, D.), 527
THORNTON, J. M. (see also STERNBERG, M. J. E.), 367
Tight-binding repressors of the lactose operon, 293
Tobacco mosaic virus protein, the hand of the stacked-disk aggregate, 453
Transcription on linear and superhelical DNA, an electron microscopic comparison, 161
Transduction, generalized, in *Salmonella typhimurium* and tandem duplications of the histidine operon, 201

Transfecting activity enhancement of bacteriophage P22 DNA upon exonucleolytic erosion, 587
Transfection of restrictionless *Escherichia coli* by bacteriophage T7 DNA: effect of *in vitro* erosion of DNA by λ exonuclease, 603
Traut, R. R. (see also Heimark, R. L.), 219
2-Trimethylammoniummethyl-5-methyl furan iodide (5-methylfurmethide iodide) crystal and molecular structure; conformation of acetylcholine at muscarinic nerve receptors, 517
Trinitrophenylation of the lysine residues in yeast, sturgeon and rabbit muscle enzyme. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275
Truitt, C. L., Haldenwang, W. G. & Walker, J. R., Interaction of host and viral regulatory mechanisms: effect of the *lon* cell division defect on regulation of repression by bacteriophage lambda, 231
Tsugita, A. (see also Hohn, T.), 337
— (see also Ohasa, S.), 545
Tyrosyl-tRNA synthetase, crystal structure at 2·7 Å resolution, 577

Unwin, P. N. T. (see also Bloomer, A. C.), 453
Venom gland of young queen bees, characterization of promelittin mRNA, 177
Vesco, C. (see also Liberti, P.), 263
Viral and host regulatory mechanisms, interaction: effect of the *lon* cell division defect on regulation of repression by bacteriophage lambda, 231
Virus, Simian virus 40-infected kidney cells of CV-1 monkeys, kinetics of DNA and histone mRNA synthesis, 263
—, tobacco mosaic, protein, the hand of the stacked-disk aggregate, 453

Walker, J. R. (see also Truitt, C.), 231
Walsby, A. E. (see also Blaurock, A. E.), 183
Wellauer, P. K., Dawid, I. B., Brown, D. D. & Reeder, R. H., The molecular basis for length heterogeneity in ribosomal DNA from *Xenopus laevis*, 461
—, Reeder, R. H., Dawid I. B. & Brown, D. D., The arrangement of length heterogeneity in repeating units of amplified and chromosomal ribosomal DNA from *Xenopus laevis*, 487
— (see also Reeder, R. H.), 507
Wickner, R. B. & Leibowitz, M. J., Chromosomal genes essential for replication of a double-stranded RNA plasmid of *Saccharomyces cerevisiae*: the killer character of yeast, 427

Xenopus laevis, the arrangement of length heterogeneity in repeating units of amplified and chromosomal ribosomal DNA, 487
— — ribosomal DNA, the molecular basis for length heterogeneity, 461
X-ray crystallographic studies, preliminary, of manganese superoxide dismutases from *Escherichia coli* and from yesat mitochondria, 327
— diffraction studies, preliminary and crystallization of superoxide dismutase from *Bacillus stearothermophilus*, 333
— scattering, small-angle, studies of *Escherichia coli* L-asparaginase, 567
— —, — —, study of a rhodopsin–detergent complex; shape and size of bovine rhodopsin, 383

Yeast killer character: chromosomal genes essential for replication of a double-stranded RNA plasmid of *Saccharomyces cerevisiae*, 427
— mitochondrial and *Escherichia coli* manganese superoxide dismutases: preliminary X-ray crystallographic studies, 327
—, sturgeon and rabbit muscle enzyme, trinitrophenylation of the lysine residues. Relationship between structure and chemical reactivity in D-glyceraldehyde 3-phosphate dehydrogenase, 275
Yonei, M. (see also Itai, A.), 321